

Welltherm Bathroom and design heater

Radiant heat sources for your home

The infrared bathroom heaters from the BKW Plus series offer an unprecedented variety of variants. In addition to numerous colors and sizes, it is possible to equip the heaters with solid and at the same time noble towel bars in different lengths and surfaces.

Take the freedom to implement your own individual ideas. Whether rather plain, with matt surfaces, elegant with shiny glass fronts, or extravagant printed with your own picture motif or a desired color from the RAL color palette - the range of possibilities is enormous. Everyone is guaranteed to find the right solution here.

But the BKW Plus series is not only visually appealing, the Welltherm bathroom radiators are also technically convincing. The integrated, dual heating system combines the comfort of energy-optimized towel drying in the lower



part of the heaters with powerful room heating in the upper part. Of course, all heaters of the BKW Plus series meet the requirements of zone 2 (IPX4) and may therefore be operated directly next to a shower or bathtub.

Comfort:

- Simple control via a single room thermostat, which centrally operates both heating zones of the dual heating system.
- Adjusted heat output for energy-optimized towel drying in the lower part of the heater.
- Efficient room temperature control via a powerful heating element in the upper part of the bathroom heater.
- High diversity of variants in performance, size, color and surface with a total of 6 different towel rails (attachment possible on the left or right).



Bathroom heater



Towel rails


Article number	Front	Model	Size (cm)
BECO430	Chrome	Open on one side	43,0 x 4,0 x 0,5
BECO550	Chrome	Open on one side	55,0 x 4,0 x 0,5
BECO650	Chrome	Continuously	65,0 x 4,0 x 0,5
BEE0430	Brushed stainless steel	Open on one side	43,0 x 4,0 x 0,5
BEE0550	Brushed stainless steel	Open on one side	55,0 x 4,0 x 0,5
BEE0650	Brushed stainless steel	Continuously	65,0 x 4,0 x 0,5



Bathroom heater Satino

Technical Data:

- Front: 5 mm TSG-H toughened safety glass
- Model: BP satino
- Colour: White, similar to RAL 9016
- Surface: Satin finish
- Power supply: 1/N/PE 230 V
- Frequency: 50 Hz
- IP rating: IP X4
- Protection class: I
- Heating technology: ESHC plus, dual heating system
- Connection cable: 1850 mm, white
- Schuko plug: Yes
- Assembly: Wall



Article number	Colour	Surface	Size (cm)	Power (W)	Current (A)	Weight (kg)	Number of possible rails
BPWS0550	White, similar to RAL 9016	Satin finish	60,0 x 120,0 x 2,2	550	2,4	16,2	1
BPWS0660	White, similar to RAL 9016	Satin finish	60,0 x 150,0 x 2,2	660	2,9	20,3	2
BPWS0850	White, similar to RAL 9016	Satin finish	60,0 x 180,0 x 2,2	850	3,7	24,5	3

The prices quoted apply only to the bathroom radiators. Price details for the corresponding brackets can be found on page 25.



Bathroom heater Crystal

Technical Data:

Front:	5 mm TSG-H toughened safety glass
Modell	BP Crystal
Colour:	White, similar to RAL 9016
Surface:	Gloss
Power supply:	1/N/PE 230 V
Frequency:	50 Hz
IP rating:	IP X4
Protection class:	I
Heating technology:	ESHC plus, dual heating system
Connection cable:	1850 mm, white
Schuko plug:	Yes
Assembly:	Wall



dual
heating system

Article number	Colour	Surface	Size (cm)	Power (W)	Current (A)	Weight (kg)	Number of possible rails
BPWGO550	White, similar to RAL 9016	Gloss	60,0 x 120,0 x 2,2	550	2,4	16,2	1
BPWGO660	White, similar to RAL 9016	Gloss	60,0 x 150,0 x 2,2	660	2,9	20,3	2
BPWGO850	White, similar to RAL 9016	Gloss	60,0 x 180,0 x 2,2	850	3,7	24,5	3


The prices quoted apply only to the bathroom radiators. Price details for the corresponding brackets can be found on page 25.



Bathroom heater Mirror

Technical Data:

Front:	5 mm TSG-H toughened safety glass
Model:	BP Mirror
Colour:	Mirror
Surface:	Gloss
Power supply:	1/N/PE 230 V
Frequency:	50 Hz
IP rating:	IP X4
Protection class:	I
Heating technology:	ESHC plus, dual heating system
Connection cable:	1850 mm, white
Schuko plug:	Yes
Assembly:	Wall



Article number	Colour	Surface	Size (cm)	Power (W)	Current (A)	Weight (kg)	Number of possible rails
BPSP0550	Mirror	Gloss	60,0 x 120,0 x 2,2	550	2,4	16,2	1
BPSP0660	Mirror	Gloss	60,0 x 150,0 x 2,2	660	2,9	20,3	2

The prices quoted apply only to the bathroom radiators. Price details for the corresponding brackets can be found on page 25.



Bathroom heater Metal white

Technical Data:


Front:	Metal, stove-enamelled
Model:	BP Metal
Colour:	White, RAL 9003
Surface:	Silky matte
Power supply:	1/N/PE 230 V
Frequency:	50 Hz
IP rating:	IP X4
Protection class:	I
Heating technology:	ESHC plus, dual heating system
Connection cable:	1850 mm, white
Schuko plug:	Yes
Assembly:	Wall



dual
heating system

Article number	Colour	Surface	Size (cm)	Power (W)	Current (A)	Weight (kg)	Number of possible rails
BPPB0550	White, RAL 9003	Silky matte	60,0 x 120,0 x 1,7	550	2,4	14,1	1
BPPB0660	White, RAL 9003	Silky matte	60,0 x 150,0 x 1,7	660	2,9	18,7	2
BPPB0850	White, RAL 9003	Silky matte	60,0 x 180,0 x 1,7	850	3,7	23,3	3


The prices quoted apply only to the bathroom radiators. Price details for the corresponding brackets can be found on page 25.



Bathroom heater Metal graphite black

Technical Data:

Front:	Metal, stove-enamelled
Model:	BP Metal
Colour:	Graphite black, RAL 7016
Surface:	Structure
Power supply:	1/N/PE 230 V
Frequency:	50 Hz
IP rating:	IP X4
Protection class:	I
Heating technology:	ESHC plus, dual heating system
Connection cable:	1850 mm, white
Schuko plug	Yes
Assembly:	Wall



Article number	Colour	Surface	Size (cm)	Power (W)	Current (A)	Weight (kg)	Number of possible rails
BPMG0550	Graphite black, RAL 7016	Structure	60,0 x 120,0 x 1,7	550	2,4	14,1	1
BPMG0660	Graphite black, RAL 7016	Structure	60,0 x 150,0 x 1,7	660	2,9	18,7	2
BPMG0850	Graphite black, RAL 7016	Structure	60,0 x 180,0 x 1,7	850	3,7	23,3	3

The prices quoted apply only to the bathroom radiators. Price details for the corresponding brackets can be found on page 25.



Bathroom heater Metal sand

Technical Data:

Front:	Metal, stove-enamelled
Model:	BP Metal
Colour:	Sand
Surface:	Structure
Power supply:	1/N/PE 230 V
Frequency:	50 Hz
IP rating:	IP X4
Protection class:	I
Heating technology:	ESHC plus, dual heating system
Connection cable:	1850 mm, white
Schuko plug:	Yes
Assembly:	Wall



dual
heating system

Article number	Colour	Surface	Size (cm)	Power (W)	Current (A)	Weight (kg)	Number of possible rails
BPSA0550	sand colored	Structure	60,0 x 120,0 x 1,7	550	2,4	14,1	1
BPSA0660	sand colored	Structure	60,0 x 150,0 x 1,7	660	2,9	18,7	2
BPSA0850	sand colored	Structure	60,0 x 180,0 x 1,7	850	3,7	23,3	3

The prices quoted apply only to the bathroom radiators. Price details for the corresponding brackets can be found on page 25.